Jewell					
	Hardware				
	QTY		USE	UOM	
	24		Stem and keel protection	ft	
	1		companionaway locking	ea	
	2		self bailing cockpit	ea	
	6		various buoyancy compartments	ea	
	2		lifting tackle for CB	ea	
	2	RECEI	lifting tackle for CB	ea	
	1	6	aft end of trunk, CB hoist exit point	ea	
	1	000	CB hoisting end inside trunk	ea	
	0.5		CB pivot	ea	
	1		CB hoisting	ea	
	1	11.	rudder assembly	ea	
	1		rudder pivot bolt - check unthreaded length	ea	
	2	1000	rudder to tiller bolts	ea	
	4		rudder gudgeons	ea	
	2		rudder gudgeons	ea	
	10		rudder bolts	ea	
	10		rudder bolts	ea	
	3	Secure .	rudder up and down haul rudder lines, mizzen snotter, use SSFH self-tap	ea	
	1		rudder downhaul line, use SSFH self-tap	ea	

Jewell 1				
	1		For anchor, to stbd of stem, Fastener?	ea
	1		Stem head forestay fitting accomodates furler, Fasteners?	ea
	1		From 4mm SS plate, brushed finish	ea
	6		to bolt tabernacle into place, incl. lock nuts and washers	ea
	4		mooring cleats bow and stern	ea
	8		mooring cleats bow and stern	ea
	1		Side stem fitting	ea
	2		Shrouds	ea
	1		halyards led aft at deck level	ea
	1		goes with double block on chainplate	ea
	1		mainsheet attachment to aft deck (use #10 SSMS w/ backing plate underneath)	pack
	1		w/ spring for halyard double block on cabin top	ea
	3		for chain plates, incl. SS lock nut nuts and washers	ea
	2	The state of the s	jib sheets	ea
	4		for jib sheet cheek blocks (lengths?)	ea
	2		Jib sheets	ea
	1.5		Jib sheets	ea
	4		Jib sheets	ea
	3		main and jib sheet,	ea
	3	CIA CO	main and jib sheet cam cleats	ea
	2		mizzen sheet and jib furling	ea

Jewell				
	2		mizzen sheet and jib furling cam cleats	ea
	4		cockpit lazarette hatches	ea
	2		cockpit hatches	ea
	2	****	cockpit hatches	ea
	16		w/ lock nuts and washers	ea
	10	444	cam cleat screws	ea
		°4 .		
	1	10	jib	each
	2		jib	each
	1		Custom fab for masthead, peak h'yard and spinnaker	each
	1		Custom fab for gaff span	each
	2		jib block/halyard on mast (mast must be solid in way of this fitting) [1]	each
	5		mizzen snotter, mizz sheet (glued into end of boomkin), shrouds, forestay in lieu of SS thimble	each
	1		furler line fairlead aft	each
	1		boom preventer, downhaul on deck or mast (near partner where mast is solid)	pair
	4		Halyards on coach roof (3), mizzen mast (1)	each
	4		boom for reefing	each
		(<u>)</u>		
	1		mainsheet attached to end of boom	each
	1		mainsheet attached to stand-up base w/ spring	each
	2		mainsail throat and peak halyard	each

Jewell				
3		peak halyard, throat, jib halyard	each	
2		mizzen sheet, topping lift	each	
2		end of boom mainsheet and top. lift	each	
8		misc.	each	
3.0		spinnaker sheet, topping lift on boom	each	
2.0		for spinnaker sheet block	each	
1.0			each	
1.0		Custom fab to fit Jewell mast	each	
165.0			ft	
3.0		tack and spinnaker sheets	each	
56.1	And the to	mainsheet (can be up to 12mm)	ft	
36.3		jib sheets	ft	
181.5		Halyards: Jib (17m), peak (18m), throat (15m), CB hoist (5m)	ft	
112.2		rudder, reef pannants, mizzen sheet, topping lift, mizzen snotters	ft	
132.0		main sail lashing to gaff, mizzen lashing	ft	
82.5		shrouds, forestay, gaff span (not blue)	ft	
66.0		lashings	ft	
3	The second secon			
Epoxy	starter kit			

	J	ewell	
	SilverTip Epoxy Resin, gallon	glassing and coating	ea
2	SilverTip Slow hardener, 1/2 gal	for warmer temps	ea
1	Adhesive Gelmagic Silvertip 1.5 gal	all gluing surfaces	ea
1	Quick Fair 3 quart kit	puttying imperfections	ea
1	Epoxy Putty EZ fillet 1.5 qt kit	filleting frames, etc	ea
2	Plunger Pump	dispensing resin and hardener	ea
1	12oz System 3 Measuring Cups	mixing gel-magic	slv
12	16 oz mixing container	mixing epoxy	ea
7	6 oz. cloth 38"	centerboard inside and foils	pack
1	Tongue depressors	mixing	pack50
3	1" chip brushes	spreading glue	doz
1	Plastic squeegee	glassing and coating	doz
1	3" roller frame	glassing and coating	each
	Below ships from Maine		
2	tapping screw S/S FH sqdr #8x3/4"	general construction	bx
1	tapping screw S/S FH sqdr #8x1"	general construction	bx
25	tapping screw S/S FH sqdr #8x1 1/4"	general construction	ea
25	tapping screw S/S FH sqdr #10x 1 1/2"	general construction	ea
1	3 Qt kit of FLAG	Scarf gluing, can be thickened w/ fillers	kit
1	Cab-o-sil, qt	To fill FLAG and ST	ea
1	Wood flour, qt	To fill FLAG and ST	ea
1	West Sys Mixing sticks 8/pk	filleting and clean up	pkg
4	7" foam roller cover	glassing and coating	pack
4	2mil 8x10" plastic bag	filleting and clean up	ea
1	Syringes pack of 2	filling holes	ea
1	Vial of graphite powder, 4oz.	final coating on foils	each
			кіт тот

[1] use in lieu of pad eye