Lilou-2

	Hardware			
	QTY	PHOTO	INSTALLATION	UOM
☐	1		for both stations	pr
☐	12		tying off oarlocks	ft
☐	2		two rowing stations	pr
☐	8		oar lock sockets	ea
☐	1		bow fairleads	pr
☐	6		doors	ea
☐	12			ea
☐	12			ea
☐	24		doors	ea
☐	24		doors	ea
☐	4		drain plug	ea
☐	12		drain plug	ea
☐	1		bedding compound	ea
☐	8		Water-ballast space under floorboards, buoyancy	ea
☐	12		see break down in notes	ft
☐	1		half oval screws	box
☐	1		rudder mounted	ea
☐	1			ea
☐	2		transom mounted no pintle	ea
☐	1		rudder	ea
☐	10		rudder gudgeons and pintles	ea

Lilou-2

☐	10		rudder gudgeons and pintles	ea
☐	4		rudder gudgeons	ea
☐	6		transom pintles	ea
☐	1		Lashing gear	pr
☐	4		for small Brz strap eyes	ea
☐	6		bow chocks - check Brz or SS	ea
☐	2		bilge draining	ea
☐	1		halyard, bolted to mast head	ea
☐	1		CB hoisting	ea
☐	1		CB hoisting	ea
☐	2		CB hoisting	ea
☐	2		CB hoisting, mizzen sheet	ea
☐	1		CB hoisting	ea
☐	1		CB hoisting	ea
☐	1		halyard hoist	ea
☐	1		mainsheet	ea
☐	1		mainsheet	ea
☐	1		mainsheet	ea
☐	1		mizzen cleat	ea
☐	1		halyard cleat on starboard side of mast	ea
☐	2		screws for mainsheet cleat	ea
☐	2		5" nylon cleat (halyard)	ea
☐	4		cam cleat/cheek block to CB trunk	ea

Lilou-2

☐	2		mast partner, fore	ea
☐	1		boomkin fairlead	ea
☐	1		mizzen cleat	pr
☐	40		low stretch halyard	ft
☐	56		mainsheet	ft
☐	20		Tack or downhaul purchase	ft
☐	66		Mizzen sheet, CB hoisting, misc	ft
☐	82.5		Sail lashing on yard, reef points, Protection and small lashings	ft
☐	3		mast partner	ft
☐			6x12	ea
	TBD			
☐	1		will need piping, hose, etc	ea
☐				
	Sloop version			
☐	1.5		mast partner/gate	ea
☐	5		mast partner/gate	ea
☐	5			ea
☐	5			ea
☐	1		gate quick release	ea
☐	1		bushing for pivot bolt on gate	ea
			jib fairleads (sloop)	
	1		downhaul, lashed to mast	